



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB28XP Steel Wheels Tourbillon





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB28XP Steel Wheels Tourbillon

Technical specifications

Name:	DB28XP Steel Wheels Tourbillon
Reference:	DB28XPSWT
Function:	Hours, Minutes, 30'' indicator via the ultra-light De Bethune tourbillon cage at 6 o'clock, Power Reserve on the back
Movement:	DB2009v6
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions)

Technical features of calibre DB2009v6

Number of parts:	275
Jewelling:	40 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel – <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance with white gold inserts, optimised for temperature differences and air penetration – <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Ultra-light De Bethune 30'' tourbillon in titanium <i>De Bethune Innovation (2008)</i>
Frequency:	36'00 vibrations/hour
Adornment:	Hand-crafted finishing and decoration Barrels adorned with snailing, featuring blued microlight titanium inserts and polished blued beveling

Display

Display:	Polished titanium hands
Dial:	Hour ring in titanium with blued microlight decoration and polished hour markers Minute ring and 30-second dial in circular satin-finished titanium Barrel bridge with polished beveling and blued microlight decoration Polished titanium triangular central bridge Polished titanium dial base



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Case and strap

Case material:	Polished grade 5 titanium with “microlight” case middle
Case diameter:	43 mm
Case thickness:	9.1 mm
Lugs:	Polished grade 5 titanium floating lugs – <i>De Bethune Patent (2006)</i>
Crystal:	Sapphire (1,800 Vickers hardness) with double anti-reflective coating
Caseback:	Screwed case back in polished grade 5 titanium opened on a linear power reserve indicator Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water resistance:	3 ATM
Strap:	Extra-supple alligator leather with alligator lining
Buckle:	Grade 5 titanium buckle and pin